



Texas Commission on Environmental Quality

CERTIFICATE OF DELIVERY OF PUBLIC NOTICE TO CUSTOMERS: Boil Water Notice

Public Water System (PWS) name: CITY OF WELLS

PWS ID: 0370004 Date of violation(s) or situation(s) November 29, 2021

Type of Total Coliform Rule Ground Water Rule violation(s) or situation:

- Boil Water Notice (BWN) due to: loss of pressure, line break, water outage, or any condition requiring a BWN (includes Rescind Notice)
- Treatment technique violation (Ground Water or Surface Water Treatment Rule)

30 TAC 290.46(q)(1) requires that your PWS make an adequate, good-faith effort to reach all consumers served by the system by appropriate methods (check all below that apply):

COMMUNITY WATER SYSTEM (perform one of the following):

- Provide a copy of the Boil Water Notice to the radio and television stations serving the area surrounding the public water system
- Publish BWN in local newspaper
- Deliver BWN directly to each customer via mass call system
- Post BWN in conspicuous places within the affected area

NONCOMMUNITY WATER SYSTEM (perform one of the following):

- Deliver BWN directly to customers, or
- Post BWN in public places within the area served by the system

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

Certified by: (print name): Roy Shanks Title: Superintendent

Date of Delivery to Customers: 11/29/2021 Phone: (936) 229-6700

Signature: Roy Shanks Date: 11/29/2021

Fax to (512) 239-3666 or mail a copy of this completed form, AND copies of the Public Notices given to your customers to: TCEQ – Public Drinking Water Section MC – 155, Attn: Public Notice. P. O. Box 13087 Austin, TX 78711-3087

Special Precautions Log

11-29-2021
Date

No

If no, record the PSI at the worst case location(s) affected by the event (such as highest elevation):

78 E First St Ø PSI RS Initials

Location _____ PSI _____ Initials _____

Location _____ PSI _____ Initials _____

Notes

Location of event(s):

78 E First / Corner May St

Locations of flushing and disinfectant residual results:

10 May St (FV)
1.0 to a 3.2

Locations of bacteriological samples:

See labs

Attach BWN, Certificate of Public Delivery, bacteriological lab samples, BWN rescind notice, and other applicable documentation.

Note 1: If a line break area was contaminated (e.g. sewer main break near it), and system does not utilize slug chlorination, then a BWN should be issued.

Did the water main pressure drop below 20 PSI and was the line partially or fully dewatered?

Yes

Option A

Circle Yes or No and Initial Each Answer

Option B

Operator Signature

A. Can the mains be disinfected according to AWWA Standards (C651-05) & flushed?

RS Initials Yes No BWN

1. Was the trench treated with calcium hypochlorite?

RS Initials Yes No BWN

2. Were couplings swabbed with sodium hypochlorite?

RS Initials Yes No BWN

3. If slug chlorination is planned, where practical, then:

3.1 Can service connections be shut off?

RS Initials Yes No, then skip No. 3, but see Note 1.

3.2 Can the main(s) be isolated?

RS Initials Yes No, then skip No. 3, but see Note 1.

3.3 Before slugging, review 4.7 of C651-05. Then list:

Cl2 Concentration	Contact Time	Initials
3.4 If slugged, then see Appendix C of C651-05 regarding disposal of heavily chlorinated water.		

4. Were the main(s) flushed until water was clear?

RS Initials Yes No BWN

5. Were the disinfectant residuals restored to normal?

(List locations and results in notes section.)

RS Initials Yes No BWN

6. Were bacteriological samples taken?

RS Initials Yes No BWN

B. Issue a Boil Water Notice (BWN) to the customers in the area where the loss of pressure occurred.

1. List BWN method of delivery?

Examples: Door Hanger, Radio, TV, Signs, Call System

Call System
Method(s)

2. Is BWN notice attached? Yes No

RS Initials

3. Was Certificate of Public Delivery & BWN faxed to TCEQ? Yes No

RS Initials

4. Though not required, were lines flushed (recommended)? Yes No

RS Initials

5. Were bacteriological samples taken? (List locations and results in notes section.) Yes No

RS Initials

6. Was lab asked to expedite results (fax)? Yes No

RS Initials

7. Were bacteriologicals negative? Yes No

RS Initials

7.1 Was BWN left in effect and TCEQ contacted? Yes No

RS Initials


7.2 Was a BWN rescind notice issued? Yes No

RS Initials

7.2.1 Were lab results and rescind notice faxed to TCEQ? Yes No

RS Initials

For further instructions and forms, see: <http://www.tceq.texas.gov/drinkingwater/microbial/notices/boilwater.html>



Public Notice to Boil Water

November 29, 2021

Due to a Water Main Break, the Texas Commission on Environmental Quality (TCEQ) has required our Water System City of Wells ID# 0370004 to notify customers of the need to boil their water prior to consumption.

The ONLY structures/customer effective by this water line break are listed below:

E First Steet: T. Tate, S. Herman

May Street: G. Cole, S. Flores, M. Bailey, N. Bailey, C. McLaughlin, J. Morris, E. Corriz, B. Fraker, J. McLaughlin.

Spinks Street: R. Kalka

To ensure the destruction of all harmful bacteria and other microbes, water for drinking, cooking, and making ice should be boiled and cooled prior to use. The water should be brought to a vigorous, rolling boil and then boiled for two minutes. In lieu of boiling, you may purchase bottled water or obtain water from some other suitable source.

When it is no longer necessary to boil the water, the water system officials will notify you that the water is safe for consumption. Instructions to discontinue boiling will be issued in the same manner as this notice.

If you have questions concerning this matter, you may contact Roy Shanks OR Melanie Pounds AT (936) 867-4615

If a customer wishes to contact the TCEQ, they may call 512-239-4691

City of Wells

From: City of Wells <no-reply@municipalimpact.com>
Sent: Monday, November 29, 2021 4:50 PM
To: cityofwells@consolidated.net
Subject: Alert from City of Wells

Importance: High

Alert from City of Wells: Boil Water Notice Issued

Date: Nov 29, 2021

Public Notice to Boil Water

November 29, 2021

Due to a Water Main Break, the Texas Commission on Environmental Quality (TCEQ) has required our Water System City of Wells ID# 0370004 to notify customers of the need to boil their water prior to consumption.

The ONLY structures/customer effective by this water line break are listed below:

E First Steet: T. Tate, S. Herman

May Street: G. Cole, S. Flores, M. Bailey, N. Bailey, C. McLaughlin, Morris, E. Corriz, B. Fraker, J. McLaughlin.

Spinks Street: R. Kalka

To ensure the destruction of all harmful bacteria and other microbes, water for drinking, cooking, and making ice should be boiled and cooled prior to use. The water should be brought to a vigorous, rolling boil and then boiled for two minutes. In lieu of boiling, you may purchase bottled water or obtain water from some other suitable source.

When it is no longer necessary to boil the water, the water system officials will notify you that the water is safe for consumption. Instructions to discontinue boiling will be issued in the same manner as this notice.

If you have questions concerning this matter, you may contact Roy Shanks OR Melanie Pounds AT (936) 867-4615

If a customer wishes to contact the TCEQ, they may call 512-239-4691

To unsubscribe: <https://cityofwells.us/unsubscribe.html?i=20037&e=cityofwells@consolidated.net>.

END OF THE LINE FLUSH LOG	MONTH:	Flush Time	Date	Start Residual	Finish Residual
4-WAY STOP SIGN	6TH @ HOMER RD (FH)				
ROSE MARY MOORE	446 HOMER RD (FH)				
TERRY BAILEY	149 RUSK AVE (FV)				
CARL YARBROUGH	225 US HWY 69 S (FV)				
EDWARD WEST	65 MANOR LOOP APT 1 (FH)				
LISA JACKSON	90 MANOR LOOP APT 11 (FH)				
CARTY WILLIAMS	258 W 4TH ST (FH)				
BILLY BUTLER	103 W 1ST (FV)				
LIFT STATION # 3	383 CHAPMAN RD (FH)				
JENNIFER PURYEAR	8306 FM 1247 W (FV)				
CLAUDE WARREN JR	22 WARREN (FV)				
DANIEL SCOFIELD	30 WARREN (FV)				
THE RIVER CHURCH	264 RUSK (FH)				
ERIC KUPEC	324 RUSK (FH)				
WELLS UNITED CHRISTIAN	406-B RUSK (FH)				
MARCIE HULL	499 RUSK (FV)				
AUTOMOTIVE MD	586 RUSK/FRANK EDGE(FV)				
MATT MYER	118 W FRANK EDGE (FV)				
FIRST BAPTIST PREACHER	66 W OLDHAM (FV)				
FIRST BAPTIST CHURCH	629 RUSK (FV)				
LYNDI TARVER	2347 US HWY 69 S (FV)				
WELLS ISD (EVERY SATURDAY)	BONITA/FOURTH SATURDAY (FH)				
WELLS ISD (EVERY SATURDAY)	RUSK/5TH SATURDAY (FH)				
GERTRUDE HEARNE	54 E 6TH ST (FV)				
ROY BRADLEY	101 E 6TH/MITCHELL (FV)				
HICKS PASTURE	3846 CR 2631				
DENNIS MALNER	116 MAY (FV)				
NANCY BAILEY	10 MAY ST (FV)	3.5 mh	11/30/24	1.0	3.2
NORMA SHAMNESS	38 WARNER (FH)				
FIRE HYDRANT	67 E OLDHAM (FV)				
DARREL CRANFORD RENTAL	446 RUSK (FV)				
AGULION TRAILER	24 E OLDHAM (FV)				
CASSIE SCHROEDER	24 E GREENVILLE (FV)				
FIRE HYDRANT	47 WRIGHT PATMAN				
FIRE HYDRANT	59 WRIGHT PATMAN				

Boil Water Notice

TCEQ Microbial Reporting Form

Eastex Environmental Lab, Inc.
 1119 S. University Drive
 Macogoches, TX 75961
 Phone: 936-569-8879
 Fax: 936-569-8951
 www.eastexlabs.com

EASTEX
 ENVIRONMENTAL LABS INC.

ACCREDITED
 TNI
 LABORATORY

TCEQ Lab ID: TX00962
 TCEQ Accreditation ID: T104704316

TCEQ Form 10325
 Rev. 11/2016

Water System Identification & Sample Collection Information (Please type or use block print)

Public Water System ID: TX 0370004

City of Wells

County: Cherokee

Name: City of Wells

Address: PO Box 20

City: Wells

State: TX

Phone #: 936 867-4615

Zip Code: 75976

Fax #: 936 867-5060

Report Results To:

Sampler Name (Print): Roy Shanks

Sampler Signature: [Signature]

License #: W00046934

Operator: []

Owner: []

Temperature: 21.4 °C

Corrected Temp: 21.4/022

Reinquired By (Sampler): [Signature]

Received By (Courier, if applicable): [Signature]

Reinquired By (Courier): [Signature]

Received By (Lab): [Signature]

Date / Time: 12/3/21 = 10:10 AM

Date / Time: 12-3-21

Date / Time: 10:10 AM

Lab Comments:

Tested By: [Signature]

Report to Client By: [Signature]

Date / Time: 12-3-21 1400

Date / Time: 12-4-21 1000

Replacement	Sample Identification/Location			Collected			Sample Type: (✓)				Chlorine Residual	Rejection Code (if applicable) - Please Resubmit	Lab Results				Laboratory Sample ID Number	
	Use Specific Address / Location DO NOT USE SITE #			Date	Time	Distribution	Repeat	Raw Well	Special	Construction			Circle "F" for Free, "T" for Total (mg/L)	SM 9223 B		E. coli		
	Raw Wells Use Source ID for Well Sampled Example: G1234567A													Present	Absent	Present		Absent
<input type="checkbox"/>	G0370004D			12/3/21	9:00	am	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NIL064501	
<input type="checkbox"/>	50 May St. / Goodwin Cole 12			3/21	9:07	am	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NIL064502	
<input type="checkbox"/>	77 Spinks Barber K2/Ka			12/3/21	9:27	am	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NIL064503	
<input type="checkbox"/>	3 May St. / Jessie Morris			12/3/21	9:31	am	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NIL064504	
<input type="checkbox"/>						am	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						pm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						am	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						pm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						am	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						pm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						am	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						pm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						am	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>						pm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

* Special and Construction samples are NOT FOR COMPLIANCE

Lab Rejected (LR) - Document Reason:

Results Call 936-229-6700
Roy Shanks

TCEQ Microbial Reporting Form

TCEQ Form 10625
08/2017

Water System Identification & Sample Collection Information (Please type or use block print)

Public Water System ID: TX 0370004

Public Water System Name: City of Wells

County: Cherokee

Name: City of Wells

Address: PO Box 20

City: Wells

State: TX Zip Code: 75976

Phone #: (936) 867-4615

Other Contact:

Signature: Roy Shanks

Operator License #: Roy Shanks

Operator: Operator Other

Facilitation of this form or tampering with water samples is a crime punishable under state and/or federal law. (Texas Penal Code, Title 8, Chapter 37.10) By signing this form, the sampler acknowledges that samples were collected according to the systems established sample collection procedures, and that all information is accurate.

Sample Identification / Location

Use Specific Address / Location identified in Sample Siting Plan

Raw Wells - Use Source ID for Well Sampled (Example: G1294567A)

60370004 D

50 May St. / Gordon Cole

66 May St. / Holley

67 Benita / Harman

44 Benita / Tette

Eastex Environmental Laboratory, Inc. - Nacogdoches
1119 S. University Drive Nacogdoches, TX 75961
Phone: 936-869-8879 Fax: 936-868-8931
www.eastexlabs.com

EASTEX ENVIRONMENTAL LAB, INC.

TCEQ Laboratory ID: T104704316

Test Results must meet all accreditation / certification requirements unless stated otherwise.

SHADED AREA FOR LABORATORY USE ONLY

Sample Used? Yes No

Relinquished By (Sampler): [Signature]

Date / Time: 12/6/21 = 12:12

Relinquished By (Counter): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Lab): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Counter): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Lab): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Counter): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Lab): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Counter): [Signature]

Date / Time: 12-6-21 12:12

Relinquished By (Lab): [Signature]

Completed Temp: 22.5 °C

Lab Comments: RDO

Tested By: [Signature]

Laboratory Approval: [Signature]

Report to Client By: [Signature]

Chlorine Residual

Circle "F" for Free, "T" for Total. (mg/L)

0

4.0

2.2

2.2

2.6

F T

F T

F T

F T

F T

F T

F T

F T

F T

F T

F T

Rejection Code (if applicable) - Please Resubmit

Test Method: SM 9223B

Chlorine

Total Coliform

E. Coli

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Present Absent Present Absent Present Absent Present

Laboratory Sample ID

NIL066201

NIL066202

NIL066203

NIL066204

NIL066205

Form Instructions: www.tceq.texas.gov/dm/water/microbia/total-coliform-rite

* Special and Construction samples are NOT FOR COMPLIANCE

Lab Rejection Code (LR) - Document Reason:



Cancelled Notice

On **November 29, 2021**, the Texas Commission on Environmental Quality (TCEQ) required our public water system, **CITY OF WELLS ID# 0370004** to issue a Boil Water Notice (BWN) to inform our customers that due to a line break causing an interruption in service, water from our system must be boiled prior to consumption.

Location: East First Street, North May Street, Spinks Street

Our system has taken the necessary corrective actions to restore adequate pressure, disinfectant levels, and bacteriological quality and has provided TCEQ with testing results that indicate that the water no longer requires boiling as of **December 4, 2021**.

If you have questions concerning this matter, you may contact Roy Shanks or Melanie Pounds at (936) 867-4615.

If a customer wishes to contact the TCEQ, they may call. (512) 239-4691